

**Background tables for AIHW Dental Statistics and Research Unit Research Report March 2001  
'Oral Health and Access to Dental Care – 1994-96 and 1999'**

(Further background information is available in Draft tables: Technical report NDTIS 1999  
'1999 National Dental Telephone Interview Survey')

**1999 National Dental Telephone Interview Survey**

**NDTIS 1999**

**1994, 1995 and 1996 National Dental Telephone Interview Surveys**

**NDTIS 1994–96**

**Table 1.1: NDTIS 1999 Percentage of edentulous persons by sociodemographic variables, split by age – persons aged 18+ Confidence intervals (Figure 1)**

	18–24 years		25–44 years		45–64 years		65+ years		All	
	%	%	CI	%	CI	%	CI	%	CI	
<b>Sex</b>										
Male	0.0	0.7	(0.1, 1.3)	10.4	( 8.1, 12.6)	25.0	(20.9, 29.1)	7.2	( 6.1, 8.3)	
Female	0.0	0.7 *	(0.2, 1.3)	13.6 *	(11.2, 15.9)	40.0 *	(36.2, 43.9)	12.4	(11.0, 13.7)	
<b>Annual household income</b>										
<\$12,000	0.0	2.6	(0.0, 6.5)	21.6	(15.6, 27.6)	44.5	(39.5, 49.5)	29.5	(26.0, 33.0)	
\$12–20,000	0.0	2.2	(0.0, 5.0)	22.0	(16.4, 27.7)	33.0	(27.7, 38.2)	21.5	(18.4, 24.7)	
\$20–30,000	0.0	0.6	(0.0, 1.6)	13.6	( 9.1, 18.1)	31.2	(23.0, 39.4)	10.2	( 7.8, 12.6)	
\$30–40,000	0.0	0.2 *	(0.0, 0.7)	8.0	( 4.0, 12.0)	23.5	(12.1, 34.9)	4.9	( 3.0, 6.7)	
\$40–50,000	0.0	1.4	(0.0, 3.0)	7.9	( 3.7, 12.1)	12.8	( 0.2, 25.4)	3.8	( 2.1, 5.6)	
\$50,000+	0.0	0.4	(0.0, 0.9)	7.4	( 5.0, 9.9)	4.5	( 0.0, 11.9)	2.6	( 1.7, 3.5)	
<b>Health card holder</b>										
Yes	0.0	1.0	(0.0, 2.3)	19.7	(15.6, 23.8)	41.6	(37.7, 45.5)	22.1 *	(19.9, 24.4)	
No	0.0	0.7 *	(0.2, 1.1)	10.1	( 8.3, 11.8)	23.2	(19.2, 27.2)	5.8	( 5.0, 6.7)	
<b>Residential location</b>										
Capital City	0.0	0.6	(0.1, 1.1)	10.2	( 8.1, 12.4)	31.7	(27.8, 35.5)	8.6	( 7.5, 9.8)	
Other Major Urban	0.0	0.8	(0.0, 2.6)	12.9	( 6.0, 19.8)	30.3	(20.8, 39.8)	10.6	( 7.2, 14.1)	
<b>Residential location</b>										
Urban	0.0	0.6		10.5		31.5		8.9		
Rural/remote	0.0	1.8		16.2		40.1		12.6		
<b>Total</b>	<b>0.0</b>	<b>0.7 *</b>	<b>(0.3, 1.2)</b>	<b>11.9</b>	<b>(10.3, 13.5)</b>	<b>33.4 *</b>	<b>(30.6, 36.3)</b>	<b>9.7</b>	<b>( 8.8, 10.6)</b>	

\* significant change between 1994-96 and 1999 surveys

**Table 1.2: NDTIS 1994-96 Percentage of edentulous persons by sociodemographic variables split by age – persons aged 18+ Confidence intervals (Figure 1)**

	18–24 years		25–44 years		45–64 years		65+ years		All	
	%	%	CI	%	CI	%	CI	%	CI	
<b>Sex</b>										
Male	0.1	1.3	(0.9, 1.7)	11.4	(10.2, 12.7)	30.5	(28.1, 32.8)	8.0	( 7.4, 8.5)	
Female	0.2	2.0 *	(1.5, 2.4)	17.0 *	(15.7, 18.4)	47.8 *	(45.7, 49.9)	13.9	(13.2, 14.5)	
<b>Annual household income</b>										
<\$12,000	0.0	3.8	(1.9, 5.6)	27.2	(24.2, 30.2)	51.3	(48.9, 53.7)	32.9	(31.3, 34.5)	
\$12–20,000	0.2	3.4	(1.9, 4.8)	20.3	(17.7, 23.0)	39.6	(36.5, 42.7)	19.6	(18.1, 21.1)	
\$20–30,000	0.0	2.3	(1.4, 3.1)	14.0	(11.7, 16.4)	25.9	(21.1, 30.7)	7.2	( 6.2, 8.1)	
\$30–40,000	0.3	1.6 *	(0.9, 2.3)	12.9	(10.5, 15.3)	14.8	( 9.3, 20.3)	5.1	( 4.2, 6.0)	
\$40–50,000	0.2	0.9	(0.5, 1.2)	6.1	( 5.0, 7.3)	10.6	( 5.8, 15.4)	2.4	( 2.0, 2.9)	
\$50,000+	..	..	..	..	..	..	..	..	..	
<b>Health card holder</b>										
Yes	0.1	2.0	(1.1, 3.0)	26.5	(24.0, 29.0)	48.1	(46.0, 50.2)	26.2 *	(24.9, 27.4)	
No	0.1	1.6 *	(1.2, 1.9)	10.9	(10.0, 11.9)	29.0	(26.7, 31.4)	6.3	( 5.9, 6.7)	
<b>Residential location</b>										
Capital City	0.2	1.4 *	(1.1, 1.8)	10.9	( 9.8, 12.0)	35.7	(33.6, 37.8)	8.9	( 8.4, 9.5)	
Other Major Urban	0.0	0.9	(0.9, 0.9)	16.3	(16.3, 16.3)	42.1	(42.1, 42.1)	11.7	(11.7, 11.7)	
<b>Total</b>	<b>0.1</b>	<b>1.6 *</b>	<b>(1.3, 1.9)</b>	<b>14.2</b>	<b>(13.3, 15.1)</b>	<b>40.3 *</b>	<b>(38.7, 41.9)</b>	<b>10.9</b>	<b>(10.5, 11.4)</b>	

\* significant change between 1994-96 and 1999 surveys

**Table 1.3: NDTIS 1999 Percentage of edentulous persons by sociodemographic variables split by age – persons aged 18 + Standard errors (Figure 1)**

	18–24 years		25–44 years		45–64 years		65+ years		All	
	%	SE	%	SE	%	SE	%	SE	%	SE
<b>Sex</b>										
Male	0.0	0.7	0.32	10.4	1.16	25.0	2.10	7.2	0.58	
Female	0.0	0.7*	0.30	13.6	1.21	40.0*	1.95	12.4	0.67	
<b>Annual household income</b>										
<\$12,000	0.0	2.6	1.99	21.6	3.05	44.5	2.55	29.5	1.79	
\$12–20,000	0.0	2.2	1.43	22.0	2.9	33.0	2.67	21.5	1.60	
\$20–30,000	0.0	0.6	0.51	13.6	2.32	31.2	4.18	10.2	1.23	
\$30–40,000	0.0	0.2	0.27	8.0	2.03	23.5	5.82	4.9	0.94	
\$40–50,000	0.0	1.4	0.81	7.9	2.13	12.8	6.43	3.8	0.90	
\$50,000+	0.0	0.4	0.26	7.4	1.25	4.5	3.78	2.6	0.46	
<b>Health card holder</b>										
Yes	0.0	1.0	0.67	19.7	2.11	41.6	1.98	22.1*	1.16	
No	0.0	0.7*	0.23	10.1	0.89	23.2	2.03	5.8	0.42	
<b>Residential location</b>										
Capital City	0.0	0.6*	0.27	10.2	1.08	31.7	1.95	8.6	0.57	
Other Major Urban	0.0	0.8	0.93	12.9	3.51	30.3	4.84	10.6	1.77	
<b>Total</b>	<b>0.0</b>	<b>0.7</b>	<b>0.22</b>	<b>11.9</b>	<b>0.83</b>	<b>33.4*</b>	<b>1.45</b>	<b>9.7</b>	<b>0.44</b>	

**Table 1.4: NDTIS 1994-96 Percentage of edentulous persons by sociodemographic variables split by age – persons aged 18 + Standard errors (Figure 1)**

	18–24 years		25–44 years		45–64 years		65+ years		All	
	%	SE	%	SE	%	SE	%	SE	%	SE
<b>Sex</b>										
Male	0.0	1.3	0.20	11.4	0.66	30.5	1.19	8.0	0.30	
Female	0.0	2.0	0.23	17.0	0.69	47.8	1.08	13.9	0.35	
<b>Annual household income</b>										
<\$12,000	0.0	3.8	0.95	27.2	1.52	51.3	1.21	32.9	0.84	
\$12–20,000	0.0	3.4	0.74	20.3	1.37	39.6	1.57	19.6	0.76	
\$20–30,000	0.0	2.3	0.42	14.0	1.19	25.9	2.45	7.2	0.49	
\$30–40,000	0.0	1.6	0.35	12.9	1.24	14.8	2.79	5.1	0.44	
\$40–50,000	0.0	0.9	0.17	6.1	0.58	10.6	2.46	2.4	0.21	
\$50,000+	..	..	..	..	..	..	..	..	..	
<b>Health card holder</b>										
Yes	0.0	2.0	0.48	26.5	1.26	48.1	1.07	26.2	0.64	
No	0.0	1.6	0.16	10.9	0.49	29.0	1.21	6.3	0.21	
<b>Residential location</b>										
Capital City	0.0	1.4	0.19	10.9	0.58	35.7	1.09	8.9	0.28	
Other Major Urban	0.0	0.9	..	16.3	..	42.1	..	11.7	..	
<b>Total</b>	<b>0.14</b>	<b>1.6</b>	<b>0.15</b>	<b>14.2</b>	<b>0.48</b>	<b>40.3</b>	<b>0.82</b>	<b>10.9</b>	<b>0.2</b>	

**Table 2.1: NDTIS 1999 Mean number of missing teeth by sociodemographic variables split by age – dentate persons aged 18+ Confidence intervals (Figure 2)**

	18–24 years		25–44 years		45–64 years		65+ years		All	
	%	%	CI	%	CI	%	CI	%	CI	
<b>Sex</b>										
Male	1.8	2.9	(1.6, 4.3)	6.4	(4.4, 8.4)	11.9	(8.0, 15.8)	4.9	(3.8, 5.9)	
Female	2.1	3.8	(2.5, 5.0)	7.6	(5.7, 9.6)	11.4	(7.9, 14.8)	5.5	(4.5, 6.5)	
<b>Annual household income</b>										
<\$12,000	1.9	5.0	(0.0, 10.2)	11.3	(6.3, 16.3)	12.4	(7.7, 17.2)	9.9	(7.0, 12.7)	
\$12–20,000	1.2	3.7	(0.1, 7.2)	9.2	(4.9, 13.6)	13.4	(8.2, 18.6)	8.3	(5.8, 10.7)	
\$20–30,000	2.2	4.0	(1.3, 6.8)	8.5	(4.4, 12.7)	11.7	(4.9, 18.5)	6.1	(4.0, 8.2)	
\$30–40,000	2.0	3.4	(1.2, 5.6)	6.5	(2.7, 10.3)	6.8	(0.0, 15.3)	4.4	(2.6, 6.2)	
\$40–50,000	1.5	3.6	(1.1, 6.1)	7.4	(3.0, 11.7)	7.3	(0.0, 18.4)	4.5	(2.5, 6.5)	
\$50,000+	2.1	3.1	(1.7, 4.6)	5.2	(3.0, 7.4)	7.2	(0.0, 16.7)	3.7	(2.6, 4.8)	
<b>Health card holder</b>										
Yes	1.5	4.0	(1.3, 6.7)	10.0	(6.3, 13.6)	13.5	(9.6, 17.3)	7.9	(6.1, 9.8)	
No	2.0	3.3	(2.3, 4.3)	6.5	(5.0, 8.0)	9.7	(6.2, 13.2)	4.5	(3.8, 5.3)	
<b>Residential location</b>										
Capital City	1.9	3.1	(1.9, 4.3)	6.5	(4.7, 8.3)	11.0	(7.5, 14.4)	4.8	(3.9, 5.7)	
OMU	1.4	3.9	(3.9, 3.9)	6.9	(6.9, 6.9)	12.9	(12.9, 12.9)	5.7	(5.7, 5.7)	
<b>Total</b>	<b>1.9</b>	<b>3.4</b>	<b>(2.5, 4.3)</b>	<b>7.0</b>	<b>(5.6, 8.4)</b>	<b>11.6</b>	<b>(9.0, 14.2)</b>	<b>5.2</b>	<b>(4.5, 5.9)</b>	

**Table 2.2: NDTIS 1994-96 Mean number of missing teeth by sociodemographic variables split by age – dentate persons aged 18+ Confidence intervals (Figure 2)**

	18–24 years		25–44 years		45–64 years		65+ years		All	
	%	%	CI	%	CI	%	CI	%	CI	
<b>Sex</b>										
Male	1.8	3.1	(1.2, 5.0)	7.1	(3.5, 10.6)	13.1	(6.4, 19.8)	5.0	(3.3, 6.6)	
Female	2.4	3.7	(1.8, 5.5)	8.0	(4.7, 11.3)	13.4	(7.0, 19.8)	5.6	(4.1, 7.1)	
<b>Annual household income</b>										
<\$12,000	1.7	4.1	(0.0, 10.0)	9.9	(2.6, 17.2)	14.9	(7.2, 22.5)	9.2	(5.2, 13.1)	
\$12–20,000	1.9	3.6	(0.0, 8.2)	10.0	(3.0, 17.0)	13.6	(4.6, 22.7)	7.6	(4.0, 11.1)	
\$20–30,000	2.0	3.5	(0.4, 6.7)	7.7	(1.6, 13.9)	12.5	(0.0, 26.0)	4.9	(2.3, 7.5)	
\$30–40,000	2.0	3.5	(0.4, 6.6)	6.9	(0.8, 13.1)	11.3	(0.0, 28.4)	4.5	(1.9, 7.1)	
\$40–50,000	2.3	3.2	(1.2, 5.1)	6.1	(2.4, 9.8)	9.4	(0.0, 24.3)	4.0	(2.3, 5.6)	
\$50,000+	..	..	..	..	..	..	..	..	..	
<b>Health card holder</b>										
Yes	2.1	3.8	(0.0, 7.8)	9.9	(3.8, 16.0)	14.5	(7.9, 21.1)	7.9	(5.0, 10.8)	
No	2.1	3.3	(1.9, 4.7)	7.1	(4.4, 9.7)	12.0	(5.5, 18.4)	4.7	(3.5, 5.8)	
<b>Residential location</b>										
Urban	2.1	3.2	(1.6, 4.8)	7.2	(4.4, 10.1)	12.9	(7.3, 18.4)	5.1	(3.8, 6.4)	
Rural/remote	2.0	3.9	(1.4, 6.5)	8.5	(4.0, 13.0)	14.5	(6.0, 23.1)	6.0	(3.9, 8.1)	
<b>Total</b>	<b>2.1</b>	<b>3.4</b>	<b>(2.0, 4.7)</b>	<b>7.6</b>	<b>(5.1, 10.0)</b>	<b>13.3</b>	<b>(8.6, 17.9)</b>	<b>5.3</b>	<b>(4.2, 6.4)</b>	

**Table 2.3 : NDTIS 1999 Mean number of missing teeth by sociodemographic variables split by age – dentate persons aged 18+ Standard errors (Figure 2)**

	18–24 years		25–44 years		45–64 years		65+ years		All	
	%	SE	%	SE	%	SE	%	SE	%	SE
<b>Sex</b>										
Male	1.8	0.68	2.9	1.04	6.4	1.04	11.9	2.01	4.9	0.54
Female	2.1	0.65	3.8	0.99	7.6	0.99	11.4	1.77	5.5	0.5
<b>Annual household income</b>										
<\$12,000	1.9	2.67	5.0	2.54	11.3	2.54	12.4	2.42	9.9	1.45
\$12–20,000	1.2	1.81	3.7	2.2	9.2	2.2	13.4	2.64	8.3	1.24
\$20–30,000	2.2	1.41	4.0	2.12	8.5	2.12	11.7	3.48	6.1	1.07
\$30–40,000	2.0	1.14	3.4	1.93	6.5	1.93	6.8	4.33	4.4	0.93
\$40–50,000	1.5	1.29	3.6	2.23	7.4	2.23	7.3	5.68	4.5	1.02
\$50,000+	2.1	0.72	3.1	1.12	5.2	1.12	7.2	4.88	3.7	0.56
<b>Health card holder</b>										
Yes	1.5	1.39	4.0	1.86	10.0	1.86	13.5	1.96	7.9	0.93
No	2.0	0.50	3.3	0.77	6.5	0.77	9.7	1.78	4.5	0.39
<b>Residential location</b>										
Capital City	1.9	0.6	3.1	0.91	6.5	0.91	11.0	1.76	4.8	0.46
OMU	1.4		3.9		6.9		12.9		5.7	
<b>Total</b>	<b>1.9</b>	<b>0.47</b>	<b>3.4</b>	<b>0.71</b>	<b>7.0</b>	<b>0.71</b>	<b>11.6</b>	<b>1.33</b>	<b>5.2</b>	<b>0.37</b>

**Table 2.4 : NDTIS 1994-96 Mean number of missing teeth by sociodemographic variables split by age – dentate persons aged 18+ Standard errors (Figure 2)**

	18–24 years		25–44 years		45–64 years		65+ years		All	
	%	SE	%	SE	%	SE	%	SE	%	SE
<b>Sex</b>										
Male	1.8	0.98	3.1	1.81	7.1	1.81	13.1	3.43	5.0	0.82
Female	2.4	0.95	3.7	1.68	8.0	1.68	13.4	3.26	5.6	0.78
<b>Annual household income</b>										
<\$12,000	1.7	3.04	4.1	3.73	9.9	3.73	14.9	3.92	9.2	2.00
\$12–20,000	1.9	2.38	3.6	3.57	10.0	3.57	13.6	4.61	7.6	1.81
\$20–30,000	2.0	1.61	3.5	3.14	7.7	3.14	12.5	6.87	4.9	1.32
\$30–40,000	2.0	1.58	3.5	3.14	6.9	3.14	11.3	8.68	4.5	1.34
\$40–50,000	2.3	1.00	3.2	1.87	6.1	1.87	9.4	7.64	4.0	0.83
\$50,000+	..	..	..	..	..	..	..	..	..	..
<b>Health card holder</b>										
Yes	2.1	2.04	3.8	3.1	9.9	3.1	14.5	3.37	7.9	1.48
No	2.1	0.72	3.3	1.33	7.1	1.33	12.0	3.3	4.7	0.60
<b>Residential location</b>										
Urban	2.1	0.81	3.2	1.47	7.2	1.47	12.9	2.83	5.1	0.67
Rural/remote	2.0	1.31	3.9	2.28	8.5	2.28	14.5	4.37	6.0	1.07
<b>Total</b>	<b>2.1</b>	<b>0.68</b>	<b>3.4</b>	<b>1.23</b>	<b>7.6</b>	<b>1.23</b>	<b>13.3</b>	<b>2.36</b>	<b>5.3</b>	<b>0.57</b>

**Table 3.1: NDTIS 1999 Percentage of persons using a denture by sociodemographic variables split by age – dentate persons aged 18+ Confidence intervals (Figure 3)**

	18–24 years		25–44 years		45–64 years		65+ years		All				
	%	%	CI		%	CI	%	CI	%	CI			
<b>Sex</b>													
Male	3.5	7.6	(5.6	9.6)	25.6 *	(22.1	29.2)	53.1	(47.3	58.9)	17.7	(15.9	19.5)
Female	2.3	5.6 *	(4.1	7.1)	32.9	(29.5	36.2)	59.9	(54.6	65.1)	19.4	(17.8	21.1)
<b>Annual household income</b>													
<\$12,000	0.0	7.3	(1.1	13.6)	53.4	(45.6	61.1)	63.5	(56.7	70.2)	44.8	(40.1	49.4)
\$12–20,000	0.0	8.0	(3.1	12.9)	40.5	(33.4	47.7)	60.0	(52.8	67.2)	34.4	(30.3	38.5)
\$20–30,000	5.7	7.4	(3.8	11.1)	29.5	(22.8	36.1)	53.8	(43.6	64.1)	20.0	(16.6	23.5)
\$30–40,000	0.2	5.0 *	(2.4	7.6)	29.3	(22.6	36.1)	38.6	(23.1	54.1)	14.2	(11.2	17.2)
\$40–50,000	2.8	12.4	(8.0	16.7)	26.3	(19.0	33.7)	53.4	(32.5	74.2)	16.2	(12.7	19.6)
\$50,000+	0.2	4.1	(2.6	5.7)	21.0	(17.1	24.9)	39.5	(21.4	57.6)	9.1	(7.5	10.8)
<b>Health card holder</b>													
Yes	4.6	7.1	(3.6	10.6)	45.4	(39.5	51.3)	62.1	(56.7	67.4)	33.3	(30.2	36.4)
No	2.5	6.5 *	(5.2	7.8)	26.3 *	(23.6	28.9)	51.1	(45.4	56.8)	15.1 *	(13.8	16.4)
<b>Residential location</b>													
Capital City	3.2	6.3	(4.6	7.9)	27.5	(24.4	30.7)	55.1	(49.8	60.5)	17.4	(15.8	19.0)
OMU	5.6	5.7	(1.3	10.1)	26.1	(16.9	35.3)	59.2	(46.9	71.5)	20.0	(15.4	24.6)
<b>Total</b>	<b>2.9</b>	<b>6.6*</b>	<b>(5.3</b>	<b>7.8)</b>	<b>29.1*</b>	<b>(26.7</b>	<b>31.6)</b>	<b>56.6</b>	<b>(52.7</b>	<b>60.5)</b>	<b>18.5</b>	<b>(17.3</b>	<b>19.8)</b>

\* significant change between 1994-96 and 1999 surveys

**Table 3.2: NDTIS 1994-96 Percentage of persons using a denture by sociodemographic variables split by age – dentate persons aged 18+ Confidence intervals (Figure 3)**

	18–24 years		25–44 years		45–64 years		65+ years		All				
	%	%	CI		%	CI	%	CI	%	CI			
<b>Sex</b>													
Male	1.0	10.3	(9.2	11.4)	32.5 *	(30.4	34.5)	60.8	(57.8	63.9)	20.0	(19.0	20.9)
Female	2.3	9.2 *	(8.3	10.2)	38.0	(36.1	40.0)	62.4	(59.5	65.4)	21.2	(20.3	22.1)
<b>Annual household income</b>													
<\$12,000	0.8	14.7	(11.2	18.2)	45.6	(41.6	49.5)	68.1	(64.9	71.3)	40.5	(38.4	42.7)
\$12–20,000	1.5	14.0	(11.1	16.8)	41.8	(38.1	45.6)	61.3	(57.3	65.4)	31.5	(29.5	33.5)
\$20–30,000	2.0	9.6	(7.9	11.2)	36.1	(32.5	39.7)	58.4	(52.0	64.9)	18.3	(16.8	19.8)
\$30–40,000	1.9	11.1 *	(9.4	12.8)	34.4	(30.7	38.1)	54.9	(46.5	63.4)	17.6	(16.0	19.1)
\$40–50,000	1.6	8.1	(7.1	9.0)	28.7	(26.4	30.9)	53.4	(45.1	61.8)	13.5	(12.6	14.4)
\$50,000+	..	..	..	..	..	..	..	..	..	..	..	..	
<b>Health card holder</b>													
Yes	1.6	10.9	(8.8	13.0)	43.9	(40.6	47.2)	64.2	(61.3	67.0)	32.2	(30.6	33.9)
No	1.6	9.6 *	(8.9	10.4)	33.2 *	(31.7	34.8)	59.1	(56.0	62.2)	17.8 *	(17.1	18.5)
<b>Residential location</b>													
Urban	1.5	8.8	(8.0	9.7)	33.4	(31.8	35.1)	60.0	(57.4	62.6)	19.4	(18.7	20.2)
Rural/remote	1.8	12.3	(10.9	13.7)	40.3	(37.8	42.8)	66.7	(63.1	70.4)	24.0	(22.8	25.3)
<b>Total</b>	<b>1.6</b>	<b>9.8*</b>	<b>(9.1</b>	<b>10.5)</b>	<b>35.1 *</b>	<b>(33.7</b>	<b>36.5)</b>	<b>61.6</b>	<b>(59.5</b>	<b>63.7)</b>	<b>20.6</b>	<b>(19.9</b>	<b>21.2)</b>

\* significant change between 1994-96 and 1999 surveys

**Table 3.3 : NDTIS 1999 Percentage of persons using a denture by sociodemographic variables split by age – dentate persons aged 18+ Standard errors (Figure 3)**

	18–24 years		25–44 years		45–64 years		65+ years		All	
	%	SE	%	SE	%	SE	%	SE	%	SE
<b>Sex</b>										
Male	3.5	7.6	1.02	25.6	1.79	53.1	2.97	17.7	0.92	
Female	2.3	5.6	0.77	32.9	1.72	59.9	2.68	19.4	0.85	
<b>Annual household income</b>										
<\$12,000	0.0	7.3	3.19	53.4	3.96	63.5	3.44	44.8	2.37	
\$12–20,000	0.0	8.0	2.52	40.5	3.66	60.0	3.67	34.4	2.09	
\$20–30,000	5.7	7.4	1.85	29.5	3.38	53.8	5.23	20.0	1.76	
\$30–40,000	0.2	5.0	1.32	29.3	3.45	38.6	7.90	14.2	1.53	
\$40–50,000	2.8	12.4	2.22	26.3	3.74	53.4	10.64	16.2	1.77	
\$50,000+	0.2	4.1	0.80	21.0	1.99	39.5	9.24	9.1	0.84	
<b>Health card holder</b>										
Yes	4.6	7.1	1.78	45.4	3.01	62.1	2.71	33.3	1.58	
No	2.5	6.5	0.67	26.3	1.35	51.1	2.91	15.1	0.66	
<b>Residential location</b>										
Capital City	3.2	6.3	0.82	27.5	1.61	55.1	2.73	17.4	0.8	
OMU	5.6	5.7	2.23	26.1	4.71	59.2	6.29	20.0	2.35	
<b>Total</b>	<b>2.9</b>	<b>6.6</b>	<b>0.63</b>	<b>29.1</b>	<b>1.24</b>	<b>56.6</b>	<b>2.00</b>	<b>18.5</b>	<b>0.62</b>	

**Table 3.4 : NDTIS 1994-96 Percentage of persons using a denture by sociodemographic variables split by age – dentate persons aged 18+ Standard errors (Figure 3)**

	18–24 years		25–44 years		45–64 years		65+ years		All	
	%	SE	%	SE	%	SE	%	SE	%	SE
<b>Sex</b>										
Male	1.0	10.3	0.55	32.5	1.04	60.8	1.55	20.0	0.48	
Female	2.3	9.2	0.48	38.0	0.98	62.4	1.51	21.2	0.45	
<b>Annual household income</b>										
<\$12,000	0.8	14.7	1.79	45.6	2.00	68.1	1.65	40.5	1.1	
\$12–20,000	1.5	14.0	1.44	41.8	1.90	61.3	2.07	31.5	1.02	
\$20–30,000	2.0	9.6	0.83	36.1	1.82	58.4	3.27	18.3	0.77	
\$30–40,000	1.9	11.1	0.87	34.4	1.88	54.9	4.3	17.6	0.78	
\$40–50,000	1.6	8.1	0.50	28.7	1.14	53.4	4.26	13.5	0.47	
\$50,000+	..	..	..	..	..	..	..	..	..	
<b>Health card holder</b>										
Yes	1.6	10.9	1.08	43.9	1.67	64.2	1.46	32.2	0.83	
No	1.6	9.6	0.39	33.2	0.79	59.1	1.6	17.8	0.35	
<b>Residential location</b>										
Urban	1.5	8.8	0.42	33.4	0.86	60.0	1.32	19.4	0.39	
Rural/remote	1.8	12.3	0.71	40.3	1.29	66.7	1.85	24.0	0.62	
<b>Total</b>	<b>1.6</b>	<b>9.8</b>	<b>0.36</b>	<b>35.1</b>	<b>0.71</b>	<b>61.6</b>	<b>1.08</b>	<b>20.6</b>	<b>0.33</b>	

**Table 4.1 : NDTIS 1999 Time since last dental visit by sociodemographic variables – dentate persons aged 18+ Confidence intervals (Table 1)**

	<12 months		1–2 years		2–5 years		5+ years	
	%	CI	%	CI	%	CI	%	CI
<b>Sex</b>								
Male	52.4	(49.7, 55.1)	19.2	(15.6, 22.8)	16.6	(12.9, 20.3)	11.8	(8.4, 15.2)
Female	60.4	(58.2, 62.6)	20.2	(17.1, 23.3)	11.3	(8.1, 14.5)	8.2	(4.8, 11.6)
<b>Health card holder</b>								
Yes	50.1	(46.3, 53.9)	21.3	(16.5, 26.1)	15.9	(10.8, 21.0)	12.7	(7.6, 17.8)
No	57.9	(56.0, 59.8)	19.2	(16.5, 21.9)	13.5	(10.7, 16.3)	9.4	(6.6, 12.2)
<b>Funding of last visit</b>								
Card public	53.1 *	(47.0, 59.2)	23.1	(15.3, 30.9)	16.0	(6.9, 25.1)	7.8	(0.0, 16.7)
Card private	50.4	(45.4, 55.4)	20.9	(14.6, 27.2)	15.6	(9.1, 22.1)	13.1	(6.5, 19.7)
Non-card private	59.5	(57.5, 61.5)	19.4	(16.6, 22.2)	13.3	(10.3, 16.3)	7.8	(4.9, 10.7)
<b>Residential location</b>								
Capital City	57.5	(55.4, 59.6)	19.6	(16.6, 22.6)	13.5	(10.4, 16.6)	9.4	(6.3, 12.5)
Rural/Remote	52.6	(49.5, 55.7)	20.1	(16.2, 24.0)	15.5	(11.3, 19.7)	11.8	(7.8, 15.8)
<b>Total</b>	<b>56.3</b>	<b>(54.6, 58.0)</b>	<b>19.7</b>	<b>(17.3, 22.1)</b>	<b>14.0</b>	<b>(11.5, 16.5)</b>	<b>10.0</b>	<b>(7.6, 12.4)</b>

\* significant change between 1994-96 and 1999 surveys

**Table 4.2 : NDTIS 1994–96 Time since last dental visit by sociodemographic variables – dentate persons aged 18+ Confidence intervals (Table 1)**

	<12 months		1–2 years		2–5 years		5+ years	
	%	CI	%	CI	%	CI	%	CI
<b>Sex</b>								
Male	52.0	(50.4, 53.6)	18.6	(16.5, 20.7)	16.2	(14.1, 18.3)	12.7	(10.6, 14.8)
Female	60.5	(59.1, 61.9)	18.6	(16.6, 20.6)	13.2	(11.2, 15.2)	7.5	(5.5, 9.5)
<b>Health card holder</b>								
Yes	53.1	(50.7, 55.5)	18.5	(15.3, 21.7)	15.0	(11.9, 18.1)	13.0	(9.9, 16.1)
No	56.9	(55.7, 58.1)	18.6	(17.0, 20.2)	14.7	(13.0, 16.4)	9.5	(7.8, 11.2)
<b>Place of last visit</b>								
Card public	59.2	(55.2, 63.2)	16.9	(11.3, 22.5)	15.9	(10.0, 21.8)	8.0	(2.3, 13.7)
Card private	52.0	(48.9, 55.1)	19.4	(15.5, 23.3)	14.7	(11.0, 18.4)	13.9	(10.1, 17.7)
Non-card private	58.5	(57.3, 59.7)	19.0	(17.3, 20.7)	14.3	(12.5, 16.1)	8.2	(6.4, 10.0)
<b>Funding of last visit</b>								
Card public	62.7 *	(59.1, 66.3)	16.7	(11.5, 21.9)	13.7	(8.2, 19.2)	6.9	(1.6, 12.2)
Card private	49.7	(46.4, 53.0)	19.7	(15.6, 23.8)	15.7	(11.9, 19.5)	14.8	(10.9, 18.7)
Non-card private	58.5	(57.3, 59.7)	19.0	(17.3, 20.7)	14.3	(12.5, 16.1)	8.2	(6.4, 10.0)
<b>Residential location</b>								
Capital City	57.4	(56.1, 58.7)	18.8	(17.1, 20.5)	14.1	(12.3, 15.9)	9.4	(7.6, 11.2)
Rural/Remote	52.2	(50.2, 54.2)	18.1	(15.5, 20.7)	16.5	(13.9, 19.1)	12.8	(10.1, 15.5)
<b>Total</b>	<b>56.2</b>	<b>(55.1, 57.3)</b>	<b>18.6</b>	<b>(17.2, 20.0)</b>	<b>14.7</b>	<b>(13.2, 16.2)</b>	<b>10.2</b>	<b>(8.7, 11.7)</b>

\* significant change between 1994-96 and 1999 surveys



**Table 4.3 : NDTIS 1999 Time since last dental visit by sociodemographic variables  
– dentate persons aged 18+ Standard errors (Table 1)**

	Time since last dental visit							
	<12 months		1–2 years		2–5 years		5+ years	
	%	SE	%	SE	%	SE	%	SE
<b>Sex</b>								
Male	52.4	1.36	19.2	1.82	16.6	1.88	11.8	1.72
Female	60.4	1.13	20.2	1.60	11.3	1.63	8.2	1.75
<b>Health card holder</b>								
Yes	50.1	1.93	21.3	2.44	15.9	2.60	12.7	2.59
No	57.9	0.97	19.2	1.38	13.5	1.44	9.4	1.41
<b>Funding of last visit</b>								
Card public	53.1 *	3.11	23.1	3.98	16.0	4.62	7.8	4.53
Card private	50.4	2.53	20.9	3.22	15.6	3.33	13.1	3.37
Non–card private	59.5	1.00	19.4	1.45	13.3	1.53	7.8	1.47
<b>Residential location</b>								
Urban	57.5	1.06	19.6	1.52	13.5	1.58	9.4	1.58
Rural/remote	52.6	1.56	20.1	2.01	15.5	2.13	11.8	2.03
<b>Total</b>	<b>56.3</b>	<b>0.87</b>	<b>19.7</b>	<b>1.20</b>	<b>14.0</b>	<b>1.25</b>	<b>10.0</b>	<b>1.23</b>

\* significant change between 1994-96 and 1999 surveys

**Table 4.4 : NDTIS 1994-96 Time since last dental visit by sociodemographic variables  
– dentate persons aged 18+ Standard errors (Table 1)**

	Time since last dental visit							
	<12 months		1–2 years		2–5 years		5+ years	
	%	SE	%	SE	%	SE	%	SE
<b>Sex</b>								
Male	52.0	0.83	18.6	1.07	16.2	1.08	12.7	1.09
Female	60.5	0.71	18.6	1.00	13.2	1.03	7.5	1.03
<b>Health card holder</b>								
Yes	53.1	1.23	18.5	1.61	15.0	1.57	13.0	1.59
No	56.9	0.60	18.6	0.82	14.7	0.85	9.5	0.87
<b>Place of last visit</b>								
Card public	59.2 *	2.04	16.9	2.84	15.9	3.00	8.0	2.89
Card private	52.0	1.56	19.4	1.99	14.7	1.90	13.9	1.95
Non–card private	58.5	0.62	19.0	0.85	14.3	0.90	8.2	0.92
<b>Funding of last visit</b>								
Card public	62.7 *	1.83	16.7	2.64	13.7	2.82	6.9	2.70
Card private	49.7	1.66	19.7	2.07	15.7	1.96	14.8	2.00
Non–card private	58.5	0.62	19.0	0.85	14.3	0.90	8.2	0.92
<b>Residential location</b>								
Urban	57.4	0.64	18.8	0.88	14.1	0.92	9.4	0.93
Rural/remote	52.2	1.01	18.1	1.30	16.5	1.31	12.8	1.35
<b>Total</b>	<b>56.2</b>	<b>0.54</b>	<b>18.6</b>	<b>0.73</b>	<b>14.7</b>	<b>0.75</b>	<b>10.2</b>	<b>0.76</b>

\* significant change between 1994-96 and 1999 surveys

**Table 5.1: NDTIS 1999 Percentage of persons making last dental visit for a problem within previous 12 months by sociodemographic variables split by card status – dentate persons aged 18+ Confidence intervals (Figure 5)**

	Card public			Card private			No card private			All		
	%	CI		%	CI		%	CI		%	CI	
<b>Sex</b>												
Male	72.9	(64.0,	81.7)	66.0	(57.6,	74.3)	54.7	(51.7,	57.7)	57.1	(54.4,	59.7)
Female	71.0	(63.9,	78.1)	62.6	(56.8,	68.4)	49.9	(47.2,	52.5)	53.0	(50.8,	55.3)
<b>Annual household income</b>												
<\$12,000	79.8	(72.0,	87.6)	68.2	(59.4,	77.0)	70.5	(60.6,	80.3)	71.6	(66.6,	76.6)
\$12–20,000	68.2	(59.0,	77.4)	66.7	(57.5,	75.9)	57.3	(49.2,	65.3)	63.9	(59.0,	68.9)
\$20–30,000	71.6	(56.9,	86.4)	68.5	(59.1,	78.0)	58.0	(52.1,	64.0)	62.0	(57.3,	66.7)
\$30–40,000	57.6	(18.1,	97.2)	34.2	(15.6,	52.8)	52.5	(47.5,	57.5)	53.6	(48.9,	58.2)
\$40–50,000	27.7	( 0.0,	78.4)	37.7	(12.3,	63.1)	51.0	(45.6,	56.3)	49.7	(44.6,	54.7)
\$50,000+	0.0	( 0.0,	0.0)	59.2	(32.5,	85.9)	48.8	(45.7,	51.9)	49.2	(46.2,	52.2)
<b>Residential location</b>												
Urban	63.5	(55.8,	71.2)	62.3	(56.3,	68.3)	50.9	(48.5,	53.3)	52.9	(50.8,	55.0)
Rural/remote	86.3	(79.7,	92.9)	68.9	(60.9,	76.9)	57.8	(54.2,	61.4)	62.6	(59.6,	65.5)
<b>Total</b>	<b>71.8</b>	<b>(66.3,</b>	<b>77.3)</b>	<b>64.0</b>	<b>(59.2,</b>	<b>68.7)</b>	<b>52.1</b>	<b>(50.1,</b>	<b>54.1)</b>	<b>54.9</b>	<b>(53.2,</b>	<b>56.6)</b>

\* significant change between 1994-96 and 1999 surveys

**Table 5.2 : NDTIS 1994–96 Percentage of persons making last dental visit for a problem within previous 12 months by sociodemographic variables split by card status – dentate persons aged 18+ Confidence intervals (Figure 5)**

	Card public		Card private		No card private		All	
	%	CI	%	CI	%	CI	%	CI
<b>Sex</b>								
Male	78.6	(73.6, 83.6)	61.3	(55.7, 67.0)	56.9	(55.0, 58.7)	57.8	(56.2, 59.5)
Female	72.4	(68.2, 76.6)	56.5	(52.6, 60.4)	52.3	(50.7, 54.0)	54.3	(52.9, 55.7)
<b>Annual household income</b>								
<\$12,000	70.0	(65.1, 74.8)	61.5	(56.1, 66.8)	59.4	(54.0, 64.8)	63.2	(60.3, 66.1)
\$12–20,000	74.3	(68.5, 80.0)	60.8	(55.3, 66.3)	54.6	(50.2, 59.1)	59.8	(56.9, 62.8)
\$20–30,000	89.3	(82.4, 96.3)	66.0	(57.9, 74.1)	55.9	(52.9, 58.9)	59.2	(56.6, 61.8)
\$30–40,000	62.4	(37.0, 87.8)	23.7	(10.3, 37.0)	55.4	(52.6, 58.3)	53.7	(50.9, 56.4)
\$40–50,000	80.7	(60.0, 100.0)	50.7	(36.7, 64.7)	53.7	(51.9, 55.5)	53.3	(51.5, 55.0)
\$50,000+	..		..		..		..	
<b>Residential location</b>								
Urban	74.0	(70.0, 78.1)	57.4	(53.5, 61.3)	53.3	(51.9, 54.8)	54.7	(53.4, 56.0)
Rural/remote	77.5	(72.3, 82.7)	61.1	(55.5, 66.7)	58.6	(56.3, 60.9)	60.2	(58.3, 62.1)
<b>Total</b>	<b>75.1</b>	<b>(71.9, 78.3)</b>	<b>58.3</b>	<b>(55.1, 61.5)</b>	<b>54.5</b>	<b>(53.3, 55.7)</b>	<b>56.0</b>	<b>(54.9, 57.1)</b>

\* significant change between 1994-96 and 1999 surveys

**Table 5.3 : NDTIS 1999 Percentage of persons making last dental visit for a problem within previous 12 months by sociodemographic variables split by card status – dentate persons aged 18+ Standard errors (Figure 5)**

	Card public		Card private		No card private		All	
	%	SE	%	SE	%	SE	%	SE
<b>Sex</b>								
Male	72.9	4.49	66.0	4.27	54.7	1.54	57.1	1.35
Female	71.0	3.61	62.6	2.97	49.9	1.35	53.0	1.15
<b>Annual household income</b>								
<\$12,000	79.8	4.00	68.2	4.50	70.5	5.04	71.6	2.55
\$12–20,000	68.2	4.71	66.7	4.69	57.3	4.12	63.9	2.52
\$20–30,000	71.6	7.51	68.5	4.84	58.0	3.04	62.0	2.39
\$30–40,000	57.6	20.17	34.2	9.49	52.5	2.56	53.6	2.39
\$40–50,000	27.7	25.84	37.7	12.95	51.0	2.72	49.7	2.58
\$50,000+	0.0	0.00	59.2	13.63	48.8	1.58	49.2	1.54
<b>Residential location</b>								
Urban	63.5	3.92	62.3	3.05	50.9	1.23	52.9	1.08
Rural/remote	86.3	3.36	68.9	4.09	57.8	1.85	62.6	1.52
<b>Total</b>	<b>71.8</b>	<b>2.81</b>	<b>64.0</b>	<b>2.43</b>	<b>52.1</b>	<b>1.02</b>	<b>54.9</b>	<b>0.88</b>

**Table 5.4 : NDTIS 1994-96 Percentage of persons making last dental visit for a problem within previous 12 months by sociodemographic variables split by card status – dentate persons aged 18+ Standard errors (Figure 5)**

1994-96

	Card public		Card private		No card private		All	
	%	SE	%	SE	%	SE	%	SE
<b>Sex</b>								
Male	78.6	2.53	61.3	2.87	56.9	0.94	57.8	0.82
Female	72.4	2.13	56.5	2.00	52.3	0.84	54.3	0.72
<b>Annual household income</b>								
<\$12,000	70.0	2.46	61.5	2.74	59.4	2.74	63.2	1.49
\$12–20,000	74.3	2.95	60.8	2.81	54.6	2.28	59.8	1.51
\$20–30,000	89.3	3.54	66.0	4.14	55.9	1.53	59.2	1.34
\$30–40,000	62.4	12.94	23.7	6.81	55.4	1.46	53.7	1.39
\$40–50,000	80.7	10.55	50.7	7.14	53.7	0.92	53.3	0.89
\$50,000+	..	..	..	..	..	..	..	..
<b>Residential location</b>								
Urban	74.0	2.07	57.4	2.00	53.3	0.74	54.7	0.65
Rural/remote	77.5	2.65	61.1	2.86	58.6	1.18	60.2	0.99
<b>Total</b>	<b>75.1</b>	<b>1.63</b>	<b>58.3</b>	<b>1.64</b>	<b>54.5</b>	<b>0.63</b>	<b>56.0</b>	<b>0.54</b>

**Table 6.1 : NDTIS 1999 Social impact – Toothache, Appearance and Avoidance of some foods by sociodemographic variables – dentate persons aged 18+ Confidence intervals (Figure 6)**

	Toothache		Appearance		Avoid food	
	%	CI	%	CI	%	CI
<b>Age group</b>						
18-24 years	18.2	(15.0, 21.4)	17.9	(14.6, 21.2)	11.9	(9.2, 14.6)
25-44 years	17.0 *	(15.5, 18.5)	23.7	(21.9, 25.5)	16.0	(14.5, 17.5)
45-64 years	12.1 *	(10.7, 13.5)	22.3	(20.4, 24.2)	19.2 *	(17.5, 20.9)
65+ years	7.6	(5.9, 9.3)	18.3	(15.8, 20.8)	14.8	(12.5, 17.1)
<b>Sex</b>						
Male	14.7 *	(13.3, 16.1)	21.0 *	(19.4, 22.6)	14.5 *	(13.1, 15.9)
Female	14.5	(13.3, 15.7)	22.6	(21.1, 24.1)	17.8	(16.5, 19.1)
<b>Annual household income</b>						
<\$12,000	19.2	(16.1, 22.3)	29.7 *	(26.1, 33.3)	23.0	(19.7, 26.3)
\$12–20,000	17.0	(14.3, 19.7)	27.5 *	(24.2, 30.8)	21.8 *	(18.8, 24.8)
\$20–30,000	16.5	(13.9, 19.1)	23.6	(20.5, 26.7)	18.7	(15.9, 21.5)
\$30–40,000	13.4	(11.0, 15.8)	20.1	(17.2, 23.0)	14.1	(11.6, 16.6)
\$40–50,000	13.0	(10.4, 15.6)	23.6	(20.2, 27.0)	14.9	(12.1, 17.7)
\$50,000+	12.1	(10.6, 13.6)	18.2	(16.3, 20.1)	13.6	(12.0, 15.2)
<b>Health card holder</b>						
Yes	19.7 *	(17.6, 21.8)	30.2 *	(27.7, 32.7)	25.1 *	(22.8, 27.4)
No	13.5 *	(12.5, 14.5)	19.8	(18.6, 21.0)	14.1	(13.1, 15.1)
<b>Place of last visit</b>						
Card public	26.1	(22.1, 30.1)	39.3 *	(34.8, 43.8)	33.6 *	(29.3, 37.9)
Card private	15.4	(12.8, 18.0)	24.1	(21.0, 27.2)	19.8 *	(17.0, 22.6)
No card private	13.4 *	(12.3, 14.5)	19.7	(18.4, 21.0)	13.7	(12.6, 14.8)
<b>Residential location</b>						
Capital City	14.6 *	(13.5, 15.7)	21.7	(20.3, 23.1)	16.3 *	(15.1, 17.5)
Rural/Remote	14.4 *	(12.8, 16.0)	22.0	(20.1, 23.9)	15.7 *	(14.1, 17.3)
<b>Total</b>	<b>14.6 *</b>	<b>(13.7, 15.5)</b>	<b>21.8 *</b>	<b>(20.7, 22.9)</b>	<b>16.1 *</b>	<b>(15.1, 17.1)</b>

\* significant change between 1994-96 and 1999 surveys

**Table 6.2 : NDTIS 1994–96 Social impact – Toothache, Appearance and Avoidance of some foods by sociodemographic variables – dentate persons aged 18+ Confidence intervals (Figure 6)**

	Toothache		Appearance		Avoid food	
	%	CI	%	CI	%	CI
<b>Age group</b>						
18-24 years	16.3	(14.7, 17.9)	17.3	(15.5, 19.1)	11.3	(9.9, 12.7)
25-44 years	13.3 *	(12.5, 14.1)	20.8	(19.8, 21.8)	13.5	(12.7, 14.3)
45-64 years	9.1 *	(8.3, 9.9)	20.3	(19.1, 21.5)	13.5 *	(12.5, 14.5)
65+ years	7.2	(6.1, 8.3)	16.9	(15.2, 18.6)	16.2	(14.6, 17.8)
<b>Sex</b>						
Male	10.9 *	(10.2, 11.6)	17.2 *	(16.3, 18.1)	10.4 *	(9.7, 11.1)
Female	13.3	(12.6, 14.0)	22.2	(21.3, 23.1)	16.5	(15.7, 17.3)
<b>Annual household income</b>						
<\$12,000	14.3 *	(12.8, 15.8)	22.6 *	(20.7, 24.5)	18.8	(17.1, 20.5)
\$12–20,000	12.7 *	(11.3, 14.1)	21.4 *	(19.6, 23.2)	15.5 *	(13.9, 17.1)
\$20–30,000	13.6	(12.3, 14.9)	20.4	(18.8, 22.0)	14.8	(13.4, 16.2)
\$30–40,000	11.9	(10.6, 13.2)	18.2	(16.6, 19.8)	13.8	(12.4, 15.2)
\$40–50,000	10.6	(9.8, 11.4)	18.5	(17.4, 19.6)	11.0	(10.2, 11.8)
\$50,000+	..		..		..	
<b>Health card holder</b>						
Yes	14.8 *	(13.6, 16.0)	22.8 *	(21.3, 24.3)	17.8 *	(16.5, 19.1)
No	11.4 *	(10.8, 12.0)	19.0	(18.3, 19.7)	12.4	(11.8, 13.0)
<b>Place of last visit</b>						
Card public	20.6	(18.1, 23.1)	29.8 *	(26.9, 32.7)	24.0 *	(21.3, 26.7)
Card private	12.9	(11.5, 14.3)	19.7	(17.9, 21.5)	15.7 *	(14.1, 17.3)
No card private	11.3 *	(10.7, 11.9)	18.7	(17.9, 19.5)	12.6	(12.0, 13.2)
<b>Funding of last visit</b>						
Card public fund	20.9	(18.5, 23.3)	29.1 *	(26.4, 31.8)	24.8 *	(22.3, 27.3)
Card private	12.2	(10.7, 13.7)	19.4	(17.6, 21.2)	14.7 *	(13.1, 16.3)
No card private	11.3 *	(10.7, 11.9)	18.7	(17.9, 19.5)	12.6	(12.0, 13.2)
<b>Residential location</b>						
Capital City	12.4 *	(11.8, 13.0)	20.0	(19.2, 20.8)	13.8 *	(13.1, 14.5)
Rural/Remote	11.1 *	(10.2, 12.0)	18.9	(17.7, 20.1)	11.8 *	(10.9, 12.7)
<b>Total</b>	<b>12.1 *</b>	<b>(11.6, 12.6)</b>	<b>19.7 *</b>	<b>(19.0, 20.4)</b>	<b>13.4 *</b>	<b>(12.9, 13.9)</b>

\* significant change between 1994-96 and 1999 surveys

**Table 6.3 : NDTIS 1999 Social impact – Toothache, Appearance and Avoidance of some foods by sociodemographic variables – dentate persons aged 18+ Standard errors (Figure 6)**

	Toothache		Appearance		Avoid food	
	%	SE	%	SE	%	SE
<b>Age group</b>						
18-24 years	18.2	1.64	17.9	1.69	11.9	1.37
25-44 years	17.0 *	0.79	23.7	0.92	16.0	0.77
45-64 years	12.1 *	0.74	22.3	0.96	19.2 *	0.89
65+ years	7.6	0.87	18.3	1.30	14.8	1.17
<b>Sex</b>						
Male	14.7 *	0.70	21.0 *	0.84	14.5 *	0.69
Female	14.5	0.63	22.6	0.75	17.8	0.68
<b>Annual household income</b>						
<\$12,000	19.2	1.58	29.7 *	1.85	23.0	1.68
\$12–20,000	17.0	1.39	27.5 *	1.70	21.8 *	1.53
\$20–30,000	16.5	1.34	23.6	1.57	18.7	1.41
\$30–40,000	13.4	1.23	20.1	1.49	14.1	1.25
\$40–50,000	13.0	1.33	23.6	1.73	14.9	1.41
\$50,000+	12.1	0.78	18.2	0.95	13.6	0.82
<b>Health card holder</b>						
Yes	19.7 *	1.10	30.2 *	1.29	25.1 *	1.19
No	13.5 *	0.52	19.8	0.62	14.1 *	0.53
<b>Place of last visit</b>						
Card public	26.1	2.03	39.3 *	2.32	33.6 *	2.19
Card private	15.4	1.30	24.1	1.57	19.8 *	1.44
No card private	13.4 *	0.54	19.7	0.65	13.7	0.54
<b>Residential location</b>						
Capital City	14.6 *	0.58	21.7	0.70	16.3 *	0.61
Rural/Remote	14.4 *	0.79	22.0	0.96	15.7 *	0.82
<b>Total</b>	<b>14.6 *</b>	<b>0.47</b>	<b>21.8 *</b>	<b>0.56</b>	<b>16.1 *</b>	<b>0.49</b>

**Table 6.4 : NDTIS 1994–96 Social impact – Toothache, Appearance and Avoidance of some foods by sociodemographic variables – dentate persons aged 18+ Standard errors (Figure 6)**

	Toothache		Appearance		Avoid food	
	%	SE	%	SE	%	SE
<b>Age group</b>						
18-24 years	16.3	0.84	17.3	0.91	11.3	0.72
25-44 years	13.3 *	0.41	20.8	0.51	13.5	0.42
45-64 years	9.1 *	0.43	20.3	0.62	13.5 *	0.51
65+ years	7.2	0.57	16.9	0.86	16.2	0.82
<b>Sex</b>						
Male	10.9 *	0.37	17.2 *	0.47	10.4 *	0.36
Female	13.3	0.38	22.2	0.47	16.5	0.41
<b>Annual household income</b>						
<\$12,000	14.3 *	0.78	22.6 *	0.96	18.8	0.87
\$12–20,000	12.7 *	0.73	21.4 *	0.93	15.5 *	0.80
\$20–30,000	13.6	0.68	20.4	0.82	14.8	0.70
\$30–40,000	11.9	0.67	18.2	0.83	13.8	0.71
\$40–50,000	10.6	0.42	18.5	0.55	11.0	0.43
\$50,000+	..		..		..	
<b>Health card holder</b>						
Yes	14.8 *	0.63	22.8 *	0.76	17.8 *	0.68
No	11.4 *	0.29	19.0	0.37	12.4	0.30
<b>Place of last visit</b>						
Card public	20.6	1.29	29.8 *	1.50	24.0 *	1.36
Card private	12.9	0.73	19.7	0.90	15.7 *	0.80
No card private	11.3 *	0.30	18.7	0.39	12.6	0.32
<b>Funding of last visit</b>						
Card pub fund	20.9	1.21	29.1 *	1.39	24.8 *	1.28
Card priv	12.2	0.74	19.4	0.93	14.7 *	0.80
No card priv	11.3 *	0.30	18.7	0.39	12.6	0.32
<b>Residential location</b>						
Capital City	12.4	0.32	20.0	0.41	13.8	0.34
Rural/Remote	11.1	0.46	18.9	0.59	11.8	0.47
<b>Total</b>	<b>12.1 *</b>	<b>0.27</b>	<b>19.7 *</b>	<b>0.33</b>	<b>13.4 *</b>	<b>0.28</b>



**Table 7.1 : NDTIS 1999 Distribution of affordability and hardship in purchasing dental care by sociodemographic variables split by card status – dentate persons aged 18+ Confidence intervals (Figure 7)**

	Card public		Card private		Non-card private	
	%	CI	%	CI	%	CI
<b>Avoided or delayed visiting because of cost</b>						
<b>Sex</b>						
Male	30.2	(23.6, 36.8)	32.9	(27.4, 38.4)	21.4	(19.5, 23.3)
Female	44.5	(38.7, 50.3)	39.8	(35.4, 44.2)	31.0	(29.0, 33.0)
<b>Residential location</b>						
Urban	40.0	(34.3, 45.7)	35.7	(31.4, 40.1)	27.0	(25.3, 28.7)
Rural/remote	33.4	(26.6, 40.2)	38.6	(33.0, 44.2)	22.9	(20.6, 25.2)
<b>Total</b>	<b>38.2</b>	<b>(33.8, 42.6)</b>	<b>36.6</b>	<b>(33.2, 40.0)</b>	<b>26.1</b>	<b>(24.7, 27.5)</b>
<b>Cost prevented recommended or wanted dental treatment</b>						
<b>Sex</b>						
Male	32.8	(26.0, 39.6)	25.8	(20.7, 30.9)	18.0	(16.2, 19.8)
Female	44.5 *	(38.7, 50.3)	29.6	(25.5, 33.7)	23.4	(21.6, 25.2)
<b>Residential location</b>						
Urban	41.2 *	(35.4, 47.0)	26.3	(22.3, 30.3)	21.6	(20.0, 23.2)
Rural/remote	34.4	(27.6, 41.2)	31.2	(25.9, 36.6)	17.3	(15.2, 19.4)
<b>Total</b>	<b>39.3 *</b>	<b>(34.9, 43.7)</b>	<b>27.8</b>	<b>(24.6, 31.0)</b>	<b>20.6</b>	<b>(19.4, 21.9)</b>
<b>A lot of difficulty in paying \$100 dental bill</b>						
<b>Sex</b>						
Male	37.9	(30.8, 44.9)	25.1	(20.1, 30.1)	6.8	(5.6, 8.0)
Female	40.7	(34.9, 46.5)	26.5 *	(22.5, 30.5)	8.5 *	(7.3, 9.7)
<b>Residential location</b>						
Urban	37.4	(31.7, 43.1)	24.9	(21.0, 28.8)	7.4 *	(6.4, 8.4)
Rural/remote	43.8	(36.6, 51.0)	28.1	(22.9, 33.3)	8.2	(6.7, 9.7)
<b>Total</b>	<b>39.5</b>	<b>(35.1, 44.0)</b>	<b>25.8</b>	<b>(22.7, 28.9)</b>	<b>7.6 *</b>	<b>(6.8, 8.4)</b>

\* significant change between 1994-96 and 1999 surveys

**Table 7.2 : NDTIS 1999 Distribution of affordability and hardship in purchasing dental care by sociodemographic variables split by card status – dentate persons aged 18+ whose last dental visit was < 12 months ago Confidence intervals (Figure 7)**

	Card public		Card private		Non-card private	
	%	CI	%	CI	%	CI
<b>Dental visits in last 12 months were a large financial burden</b>						
<b>Sex</b>						
Male	5.3	(0.8, 9.7)	22.6	(15.2, 30.0)	13.0 *	(11.0, 15.0)
Female	14.9	(9.4, 20.5)	21.4	(16.5, 26.3)	14.6	(12.7, 16.5)
<b>Residential location</b>						
Urban	14.3	(8.7, 19.9)	22.1	(17.0, 27.2)	14.8 *	(13.1, 16.5)
Rural/remote	4.7	(0.7, 8.7)	21.7	(14.5, 28.9)	10.3	(8.1, 12.5)
<b>Total</b>	<b>10.8</b>	<b>(7.0, 14.6)</b>	<b>21.9 *</b>	<b>(17.8, 26.0)</b>	<b>13.9 *</b>	<b>(12.5, 15.3)</b>

\* significant change between 1994-96 and 1999 surveys

**Table 7.3 : NDTIS 1994-96 Distribution of affordability and hardship in purchasing dental care by sociodemographic variables split by card status – dentate persons aged 18+ Confidence intervals (Figure 7)**

	Card public		Card private		Non-card private	
	%	CI	%	CI	%	CI
<b>Avoided or delayed visiting because of cost</b>						
<b>Sex</b>						
Male	32.8	(28.4, 37.3)	30.2	(26.9, 33.5)	21.4	(22.3, 22.5)
Female	35.2	(31.7, 38.7)	38.5	(35.7, 41.3)	30.8	(29.6, 32.0)
<b>Residential location</b>						
Urban	36.5	(33.0, 40.0)	34.1	(31.4, 36.8)	26.8	(25.8, 27.8)
Rural/remote	28.5	(24.1, 32.9)	36.8	(33.3, 40.4)	22.6	(21.2, 24.1)
<b>Total</b>	<b>34.1</b>	<b>(31.3, 36.9)</b>	<b>34.9</b>	<b>(32.8, 37.0)</b>	<b>25.9</b>	<b>(25.1, 26.7)</b>
<b>Cost prevented recommended or wanted dental treatment</b>						
<b>Sex</b>						
Male	26.5	(22.3, 30.7)	24.2	(21.1, 27.3)	15.9	(14.9, 16.9)
Female	29.6 *	(26.2, 33.0)	30.5	(27.9, 33.1)	22.6	(21.5, 23.7)
<b>Residential location</b>						
Urban	28.0 *	(24.7, 31.3)	28.6	(26.1, 31.1)	19.7	(18.8, 20.6)
Rural/remote	29.1	(24.7, 33.6)	25.7	(22.5, 29.9)	16.6	(15.3, 18.0)
<b>Total</b>	<b>28.2 *</b>	<b>(25.6, 30.8)</b>	<b>27.8</b>	<b>(25.8, 29.8)</b>	<b>19.1</b>	<b>(18.4, 19.8)</b>
<b>A lot of difficulty in paying \$100 dental bill</b>						
<b>Sex</b>						
Male	38.0	(33.4, 42.6)	21.6	(18.7, 24.5)	6.9	(6.2, 7.6)
Female	50.3	(46.6, 54.0)	31.4	(28.7, 34.1)	11.5 *	(10.7, 12.3)
<b>Residential location</b>						
Urban	44.5	(40.9, 48.1)	27.7	(25.2, 30.2)	9.4 *	(8.7, 10.1)
Rural/remote	45.8	(40.9, 50.7)	26.2	(23.0, 29.5)	7.9	(67.0, 8.8)
<b>Total</b>	<b>44.9</b>	<b>(42.0, 47.8)</b>	<b>27.2</b>	<b>(25.2, 29.2)</b>	<b>9.1 *</b>	<b>(8.6, 9.7)</b>

**Table 7.4 : NDTIS 1994-96 Distribution of affordability and hardship in purchasing dental care by sociodemographic variables split by card status – dentate persons aged 18+ whose last dental visit was < 12 months ago Confidence intervals (Figure 7)**

	Card public		Card private		Non-card private	
	%	CI	%	CI	%	CI
<b>Dental visits in last 12 months were a large financial burden</b>						
<b>Sex</b>						
Male	5.5	(2.7, 8.3)	13.9	( 9.9, 17.9)	7.3*	( 6.3, 8.3)
Female	8.6	(6.0, 11.2)	14.6	(11.8, 17.4)	13.7	(12.6, 14.8)
<b>Residential location</b>						
Urban	7.8	(5.3, 10.3)	14.6	(11.8, 17.4)	10.7*	( 9.8, 11.6)
Rural/remote	5.9	(3.0, 8.8)	13.6	( 9.7, 17.5)	10.0	( 8.6, 11.4)
<b>Total</b>	<b>7.2</b>	<b>(5.3, 9.1)</b>	<b>14.3*</b>	<b>(12.0, 16.6)</b>	<b>10.6*</b>	<b>( 9.8, 11.4)</b>

**Table 8.1 : NDTIS 1999 Percentage of persons with dental insurance by sociodemographic variables split by card status**  
 – dentate persons aged 18+ Confidence intervals (Figure 8)

	Card public		Card private		No card private		All	
	%	CI	%	CI	%	CI	%	CI
<b>Sex</b>								
Male	1.8	(0.0, 3.7)	30.7	(25.3, 36.1)	39.2 *	(37.0, 41.4)	34.4 *	(32.6, 36.2)
Female	4.6	(2.2, 7.0)	32.5	(28.3, 36.7)	44.5 *	(42.4, 46.6)	38.1 *	(36.4, 39.8)
<b>Annual household income</b>								
<\$12,000	4.8	(1.8, 7.8)	30.0	(23.9, 36.1)	24.2	(17.4, 31.0)	18.3	(15.3, 21.3)
\$12–20,000	1.6	(0.0, 3.5)	28.6	(22.9, 34.3)	29.9	(24.3, 35.5)	20.3	(17.4, 23.2)
\$20–30,000	1.2	(0.0, 4.0)	26.7	(19.6, 33.8)	30.2 *	(26.1, 34.3)	27.0 *	(23.8, 30.2)
\$30–40,000	5.0	(0.0, 15.4)	29.3	(16.0, 42.6)	35.7 *	(31.9, 39.5)	31.5 *	(28.2, 34.8)
\$40–50,000	19.3	(0.0, 64.0)	39.3	(18.4, 60.2)	40.9 *	(36.8, 45.0)	39.6	(35.8, 43.4)
\$50,000+	0.0	(0.0, 0.0)	36.1	(18.0, 54.2)	47.6	(45.2, 50.0)	46.7	(44.3, 49.1)
<b>Residential location</b>								
Urban	3.6	(1.4, 5.8)	33.7	(29.4, 38.0)	43.0 *	(41.1, 44.9)	37.7 *	(36.1, 39.3)
Rural/remote	2.8	(0.4, 5.2)	26.5	(21.4, 31.6)	37.5 *	(34.9, 40.1)	31.0 *	(28.9, 33.1)
<b>Total</b>	<b>3.4 *</b>	<b>(1.7, 5.1)</b>	<b>31.6</b>	<b>(28.3, 34.9)</b>	<b>41.8 *</b>	<b>(40.3, 43.3)</b>	<b>36.2 *</b>	<b>(34.9, 37.5)</b>

\* significant change between 1994-96 and 1999 surveys

**Table 8.2 : NDTIS 1994–96 Percentage of persons with dental insurance by sociodemographic variables split by card status**  
 – dentate persons aged 18+ Confidence intervals (Figure 8)

NDTIS 1994-96 comp 1999

	Card public		Card private		No card private		All	
	%	CI	%	CI	%	CI	%	CI
<b>Sex</b>								
Male	6.3	(4.0, 8.6)	24.0	(21.1, 26.9)	45.3 *	(43.9, 46.7)	38.8 *	(37.7, 39.9)
Female	7.2	(5.3, 9.1)	32.7	(30.1, 35.3)	50.9 *	(49.6, 52.2)	43.5 *	(42.4, 44.6)
<b>Annual household income</b>								
<\$12,000	5.5	(3.6, 7.4)	23.7	(20.7, 26.7)	27.9	(24.1, 31.7)	19.4	(17.7, 21.1)
\$12–20,000	5.3	(2.9, 7.7)	25.5	(22.3, 28.7)	32.0	(28.9, 35.1)	24.1	(22.3, 25.9)
\$20–30,000	8.4	(3.4, 13.4)	36.2	(30.6, 41.8)	39.7 *	(37.5, 41.9)	35.4 *	(33.5, 37.3)
\$30–40,000	29.5	(11.3, 47.7)	45.8	(34.3, 57.3)	46.3 *	(44.1, 48.5)	44.8 *	(42.8, 46.8)
\$40–50,000	8.6	(0.0, 20.6)	34.3	(24.7, 43.9)	56.0 *	(54.6, 57.4)	53.8	(52.5, 55.1)
\$50,000+	..		..		..		..	
<b>Residential location</b>								
Urban	7.3	(5.4, 9.2)	31.4	(28.9, 33.9)	48.6 *	(47.5, 49.7)	42.3 *	(41.3, 43.3)
Rural/remote	5.7	(3.4, 8.0)	22.7	(19.8, 25.6)	45.9 *	(44.2, 47.6)	37.2 *	(35.8, 38.6)
<b>Total</b>	<b>6.8 *</b>	<b>(5.3, 8.3)</b>	<b>29.0</b>	<b>(27.0, 31.0)</b>	<b>48.0 *</b>	<b>(47.1, 48.9)</b>	<b>41.1 *</b>	<b>(40.3, 41.9)</b>

\* significant change between 1994-96 and 1999 surveys

**Table 8.3 : NDTIS 1999 Percentage of persons with dental insurance by sociodemographic variables split by card status**  
 – dentate persons aged 18+ Standard errors (Figure 8)

	Card public		Card private		No card private		All	
	%	SE	%	SE	%	SE	%	SE
<b>Sex</b>								
Male	1.8	0.99	30.7	2.74	39.2	1.14	34.4	0.94
Female	4.6	1.25	32.5	2.14	44.5	1.07	38.1	0.87
<b>Annual household income</b>								
<\$12,000	4.8	1.55	30.0	3.10	24.2	3.47	18.3	1.55
\$12–20,000	1.6	0.97	28.6	2.91	29.9	2.87	20.3	1.49
\$20–30,000	1.2	1.44	26.7	3.60	30.2	2.10	27.0	1.61
\$30–40,000	5.0	5.29	29.3	6.78	35.7	1.92	31.5	1.68
\$40–50,000	19.3	22.79	39.3	10.66	40.9	2.10	39.6	1.95
\$50,000+	0.0	0.00	36.1	9.24	47.6	1.25	46.7	1.20
<b>Residential location</b>								
Urban	3.6	1.12	33.7	2.19	43.0	0.97	37.7	0.80
Rural/remote	2.8	1.22	26.5	2.61	37.5	1.35	31.0	1.05
<b>Total</b>	<b>3.4</b>	<b>0.84</b>	<b>31.6</b>	<b>1.68</b>	<b>41.8</b>	<b>0.78</b>	<b>36.2</b>	<b>0.64</b>

**Table 8.4 : NDTIS 1994–96 Percentage of persons with dental insurance by sociodemographic variables split by card status**  
 – dentate persons aged 18+ Standard errors (Figure 8)

1994-96

	Card public		Card private		No card private		All	
	%	SE	%	SE	%	SE	%	SE
<b>Sex</b>								
Male	6.3	1.18	24	1.50	45.3	0.69	38.8	0.58
Female	7.2	0.97	32.7	1.32	50.9	0.66	43.5	0.55
<b>Annual household income</b>								
<\$12,000	5.5	0.95	23.7	1.51	27.9	1.93	19.4	0.89
\$12–20,000	5.3	1.21	25.5	1.65	32.0	1.57	24.1	0.94
\$20–30,000	8.4	2.56	36.2	2.87	39.7	1.12	35.4	0.95
\$30–40,000	29.5	9.31	45.8	5.87	46.3	1.10	44.8	1.03
\$40–50,000	8.6	6.12	34.3	4.92	56.0	0.71	53.8	0.69
\$50,000+	..	..	..	..	..	..	..	..
<b>Residential location</b>								
Urban	7.3	0.96	31.4	1.29	48.6	0.57	42.3	0.49
Rural/remote	5.7	1.16	22.7	1.50	45.9	0.88	37.2	0.70
<b>Total</b>	<b>6.8</b>	<b>0.75</b>	<b>29</b>	<b>1.00</b>	<b>48</b>	<b>0.48</b>	<b>41.1</b>	<b>0.40</b>

\* significant change between 1994-96 and 1999 surveys

**Table 9.1: NDTIS 1999 Percentage of persons having fillings or extractions by sociodemographic variables**  
 – dentate persons aged 18+ whose last visit was < 12 months ago  
 Confidence intervals (Figures 9 & 10)

	Fillings		Extractions	
	%	CI	%	CI
<b>Sex</b>				
Male	46.0 *	(43.3, 48.7)	18.3	(16.2, 20.4)
Female	46.1	(43.8, 48.4)	15.1 *	(13.5, 16.7)
<b>Annual household income</b>				
<\$12,000	52.6	(47.1, 58.1)	28.2	(23.2, 33.2)
\$12-20,000	47.4	(42.3, 52.5)	25.4 *	(20.9, 29.9)
\$20-30,000	48.1	(43.3, 52.9)	23.1	(19.0, 27.2)
\$30-40,000	47.7	(43.0, 52.4)	12.2	(9.1, 15.3)
\$40-50,000	45.7	(40.6, 50.8)	17.4 *	(13.6, 21.2)
\$50,000+	43.5	(40.5, 46.5)	11.8	(9.8, 13.8)
<b>Health card holder</b>				
Yes	46.7	(42.9, 50.5)	26.7	(23.3, 30.1)
No	46.0	(44.1, 47.9)	14.5 *	(13.1, 15.9)
<b>Place of last visit</b>				
Card public	43.9 *	(37.8, 50.0)	33.4	(27.6, 39.2)
Card private	49.3	(44.3, 54.3)	22.6	(18.4, 26.8)
Non-card private	46.4	(44.4, 48.4)	14.4 *	(13.0, 15.8)
<b>Residential location</b>				
Urban	45.8	(43.7, 47.9)	15.9 *	(14.4, 17.4)
Rural/remote	47.0	(43.9, 50.1)	19.2	(16.8, 21.6)
<b>Total</b>	<b>46.1</b>	<b>(44.4, 47.8)</b>	<b>16.6</b> *	<b>(15.3, 17.9)</b>

\* significant change between 1994-96 and 1999 surveys

**Table 9.2: NDTIS 1994-96 Percentage of persons having fillings or extractions by sociodemographic variables**  
 – dentate persons aged 18+ whose last visit was < 12 months ago  
 Confidence intervals (Figures 9 & 10)

	Fillings		Extractions	
	%	CI	%	CI
<b>Sex</b>				
Male	50.9	(49.2, 52.5)	15.8	(14.6, 17.0)
Female	47.2	(45.7, 48.6)	11.9	(11.0, 12.8)
<b>Annual household income</b>				
<\$12,000	53.2	(50.2, 56.3)	20.8	(18.3, 23.2)
\$12-20,000	51.1	(48.0, 54.1)	17.4	(15.1, 19.7)
\$20-30,000	50.8	(48.1, 53.5)	16.4	(14.4, 18.3)
\$30-40,000	48.2	(45.5, 51.0)	13.2	(11.4, 15.0)
\$40,000 +	47.2	(45.4, 48.9)	9.5	(8.5, 10.6)
\$50,000+	..	..	..	..
<b>Health card holder</b>				
Yes	52.7	(50.3, 55.2)	21.2	(19.2, 23.2)
No	48.1	(46.9, 49.3)	12.1	(11.3, 12.9)
<b>Place of last visit</b>				
Card public	59.3	(55.6, 62.9)	29.5	(26.1, 32.8)
Card private	49.0	(45.7, 52.3)	15.9	(13.5, 18.3)
Non-card private	49.0	(47.8, 50.3)	11.9	(11.1, 12.7)
<b>Residential location</b>				
Urban	48.8	(47.5, 50.0)	13.0	(12.1, 13.8)
Rural/remote	49.4	(47.4, 51.4)	16.0	(14.6, 17.5)
<b>Total</b>	<b>48.9</b>	<b>(47.8, 50.0)</b>	<b>13.7</b> *	<b>(13.0, 14.5)</b>

**Table 9.3: NDTIS 1999 Percentage of persons having fillings or extractions by sociodemographic variables**  
 – dentate persons aged 18+ whose last visit was < 12 months ago  
 Standard errors (Figures 9 & 10)

	Fillings		Extractions	
	%	SE	%	SE
<b>Sex</b>				
Male	46.0 *	1.36	18.3	1.05
Female	46.1	1.15	15.1 *	0.83
<b>Annual household income</b>				
<\$12,000	52.6	2.81	28.2	2.54
\$12-20,000	47.4	2.61	25.4 *	2.28
\$20-30,000	48.1	2.47	23.1	2.07
\$30-40,000	47.7	2.40	12.2	1.57
\$40-50,000	45.7	2.58	17.4 *	1.96
\$50,000+	43.5	1.53	11.8	1.00
<b>Health card holder</b>				
Yes	46.7 *	1.93	26.7	1.71
No	46.0	0.99	14.5 *	0.70
<b>Place of last visit</b>				
Card public	43.9 *	3.09	33.4	2.94
Card private	49.3	2.53	22.6	2.12
Non-card private	46.4	1.02	14.4 *	0.72
<b>Residential location</b>				
Urban	45.8	1.08	15.9 *	0.79
Rural/remote	47.0	1.56	19.2	1.23
<b>Total</b>	<b>46.1</b>	<b>0.88</b>	<b>16.6 *</b>	<b>0.66</b>

\* significant change between 1994-96 and 1999 surveys

**Table 9.4: NDTIS 1994-96 Percentage of persons having fillings or extractions by sociodemographic variables**  
 – dentate persons aged 18+ whose last visit was < 12 months ago  
 Standard errors (Figures 9 & 10)

	Fillings		Extractions	
	%	SE	%	SE
<b>Sex</b>				
Male	50.9	0.84	15.8	0.61
Female	47.2	0.72	11.9	0.47
<b>Annual household income</b>				
<\$12,000	53.2	1.55	20.8	1.26
\$12-20,000	51.1	1.54	17.4	1.17
\$20-30,000	50.8	1.37	16.4	1.01
\$30-40,000	48.2	1.39	13.2	0.94
\$40,000 +	47.2	0.89	9.5	0.52
\$50,000+	..		..	
<b>Health card holder</b>				
Yes	52.7	1.23	21.2	1.01
No	48.1	0.61	12.1	0.40
<b>Place of last visit</b>				
Card public	59.3	1.86	29.5	1.73
Card private	49.0	1.66	15.9	1.22
Non-card private	49.0	0.63	11.9	0.41
<b>Residential location</b>				
Urban	48.8	0.65	13.0	0.44
Rural/remote	49.4	1.01	16.0	0.74
<b>Total</b>	<b>48.9</b>	<b>0.55</b>	<b>13.7</b>	<b>.038</b>